

25 2. (Amended) The camera of claim 18, wherein the storage medium is an emulsion type
26 film, and wherein the location is imprinted on the film.

27 3. The camera of claim 2, wherein the microprocessor further records information
28 regarding the exposure of the photo and date of the photo on or in the storage medium.

29 4. The camera of claim 2, wherein the location is imprinted in the image.

30 5. The camera of claim 2, wherein the location is imprinted outside of the image.

31 6. The camera of claim 3, wherein the exposure information comprises, the aperture
32 setting, the shutter speed, the film speed.

33 7. The camera of claim 6, wherein the exposure information further comprises metering
34 information such as aperture priority, shutter priority, or under or over exposure settings of +/- f
35 stops.

36 8. (Amended) The camera of claim 18, wherein the image is stored in the storage
37 medium in a digital format.

38 9. The camera of claim 8, wherein the storage medium is solid state memory.

39 10. The camera of claim 8, wherein the storage medium is an optical disk.

40 11. The camera of claim 9, wherein the solid state memory is contained in a removable
41 memory card.

42 12. The camera of claim 8, wherein the storage medium is flash type memory.

43 13. (Amended) The camera of claim 18, wherein the location is determined for each
44 image recorded.

45 14. (Amended) The camera of claim 18, wherein the location is determined for a series of
46 images.

47 15. (Amended) The camera of claim 18, wherein the location information comprises
48 geographic coordinates.

49 16. (Amended) The camera of claim 18, wherein the location information comprises the
50 name of the city, state, country, province, or locale where the image was taken.

51 17. (Amended) The camera of claim 18, wherein the camera further comprises a global
52 positioning system.

53 18. (Amended) A camera comprising:

54 optics;

55 an image storage medium; and

56 a cellular transceiver operable to send and receive signals from nearby
57 cellular towers.

58 *Claim 19 is cancelled without prejudice or disclaimer.*

59 20. (Amended) The method of claim 24, further comprising manipulating the images and
60 locations into a travel log.

61 21. (Amended) The method of claim 24, wherein the storage medium is flash memory.

62 22. (Amended) The method of claim 24, wherein the storage medium is an emulsion
63 type film.

64 23. (Amended) The method of claim 24 wherein determining the location further
65 comprises communicating with global positioning satellites via a global positioning receiver.

66 24. (Amended) A method for determining and recording the location of an image

67 comprising:

68 capturing and recording the image on a storage medium with a camera;

69 determining the location where the image was captured with said camera,

70 wherein determining the location comprises triangulating the location of the camera via a

71 cellular transceiver; and

72 recording the location where the image was captured on the storage medium, such that the

73 image and the location are correlated.

74 25. (Amended) The method of claim 24 wherein triangulating the location of the camera

75 comprises analyzing a signal strength of a communication signal between a cell site antenna and the

76 cellular transceiver.

77 26. The method of claim 23 wherein the location is determined for each image recorded

78 by the camera.

79 27. The method of claim 23 wherein the location is determined when prompted by a user

80 of the camera.

81 28. The method of claim 27, wherein the prompting is triggered by taking of the image or

82 by a separate command issued by the user.

83 29. (Amended) The method of claim 24, wherein triangulating the location of the camera

84 comprises usage of a cellular control channel.

85 30. (Amended) The method of claim 24, wherein the image location is recorded in or

86 near the image frame.

87 31. (Amended) The method of claim 24 further comprising recording exposure
88 information for each image recorded.

89 32. (Amended) The method of claim 24 wherein determining the location comprises
90 determining the geographic coordinates of the location.

91 33. The method of claim 32 further comprising correlating the geographic coordinates
92 with the name of the location.

93 34. (Amended) A camera for capturing an image comprising:

94 optical lens means for capturing an optical image;

95 means for recording the optical image onto a storage medium;

96 means for determining the location where the optical image was captured with

97 cellular signals received from cellular towers; and

98 means for recording the location onto the storage medium.

99 35. The camera of claim 34 wherein the means for recording the optical image records a
100 digital image, and wherein the storage medium is a flash memory card.

101 36. The camera of claim 34 wherein the means for determining the location comprises a
102 GPS receiver that determines the position of the camera when the image is captured.

103 37. The camera of claim 34 wherein the means for the determining the location
104 comprises a cellular transceiver that triangulates the position of the camera when the image is
105 captured.

106 38. (Amended) The camera of claim 34 wherein the means for recording the location
107 comprises an optical mechanism that exposes a portion of the storage medium with light in order to
108 record the information on the storage medium.

109 39. The camera of claim 34, wherein the means for determining the location determines
110 the name of the location of the image.

111 40. The camera of claim 34, wherein the means for determining the location determines
112 the geographic coordinates of the location of the image.

113 [*Claim 41 is cancelled without prejudice or disclaimer.*]

114 42. (Amended) A camera comprising:

115 an optical lens for focusing an image onto a focal plane;

116 a storage medium for recording the image, the medium comprising film or memory cells;

117 and

118 a location sensing system, the system configured to record the location onto the storage

119 medium, wherein the location sensing system comprises a cellular transceiver, the system

120 configured to triangulate the position of the camera through signals sent and/or received by the

121 transceiver.

122 43. The camera of claim 42, wherein one or more of the signals is sent and/or received
123 over a cellular control channel.

124 44. (Amended) The camera of claim 42, wherein the location sensing system comprises a
125 GPS receiver.

126 45. (Amended) The camera of claim 42, wherein the camera [is a] captures moving video
127 images.

128 [*Claim 46 is cancelled without prejudice or disclaimer.*]

129 47. (New) The camera of claim 18, wherein the camera utilizes the microprocessor and the
130 transceiver to determine the position of the camera.